PATENT



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

CNTACTOR		
Applicants: Macasaet et al.)	I hereby certify that this paper is being
)	deposited with the United States Postal
Serial No.: 10/539,682)	Service, first class postage prepaid, addressed
Filed: April 8, 2004)	to: Commissioner for Patents, P.O. Box 1450,
7 mod. 7 mpm 0, 2004)	Alexandria, VA 22313-1450
For: CONTAINER FOR)	January 6, 2006
CONTAINMENT AND	<i>)</i>	January 0, 2000
TRANSPORT OF OBJECTS)	
,)	
Group Art Unit: To be assigned)	
)	
Examiner: To be assigned)	Q. C. h
)	James P. Zeller
)	Reg. No. 28,491

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

The reference listed on the enclosed Form PTO-1449, identified pursuant to 37 CFR §§ 1.56, 1.97, and 1.98, was previously cited in an IDS dated December 7, 2005, in its original language. Follow is a concise statement of relevance of the identified foreign language document.

FR 2 087 000

The document discloses an upper section for a pallet, in which several small packaging like sugar packages S can be stored and offered to customers. This upper part consists of a base F, a cover C and a side part E, which forms four side walls of a container. The container is preferably made up of cardboard. On one side of the container, the side wall E has a least two vertical perforated lines 13. These perforated lines establish a front part which can be separated from the rest of the front wall. Each perforated line might be intercepted by a hole 14, respectively, whereas the holes 14 are connected by a bending line

15. Thereby, the packages S can be laid open for customers in two phases. During the first phase, the side wall is ripped open along the perforated lines until the upper part above the bending line can be turned down. When all packages above the bending line are sold, the side wall is torn down completely.

The front wall is supposed to be folded at the bending line 15, but the document does not suggest to perforate the bending line and to separate the upper part from the lower part of the front wall. Therefore, perforated lines of the container described in the document are always vertical. The document does not disclose perforated lines, which are parallel to an edge of the base and thereby allow varying the height of all side walls.

Entry and consideration of the submitted document is solicited.

Respectfully submitted,

MARSHALL, GERSTEIN & BORUN LLP

Bv:

mes P. Zeller

Reg. No. 28,491

AttorHeys for Applicants

January 6, 2006

6300 Sears Tower 233 South Wacker Drive Chicago, Illinois 60606-6357 (312) 474-6300



Sheet 1 of 1

	TO THE PARTY			
F	form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Atty. Docket No. 30882/DP027	Serial No. 10/539,682
INFORMATION DISCLOSURE STATEMENT		Applicant Macasaet et al.		
			Filing Date	Group
1			April 8, 2004	

U.S. PATENT DOCUMENTS							
*Examiner Initials		Document Number	Issue Date	Name	Class	Subclass	Filing Date if Appropriate
		,					
	l	İ			1		

	FOREIGN PATENT DOCUMENTS						
*Examiner Initials	Document Number	Publication Date	Country	Class	Subclass	Translation	
i						Yes	No
/A.P./	2.087.000	12/31/71	France				X
/A.P./	10,584	02/13/13	Great Britain				
<u>-</u>							

	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)				
'Knock Down Returnable Corrugated Palletainer', Research Disclosure, Kenne					
	Mason Publications, Vol. 321, No. 26, January 1991, 2 pages				
/A.P./	"Returnable Packaging", Research Disclosure, Kenneth Mason Publications, Vol. 429,				
	No. 105, January 2000, 1 page				
/A.P./	International Search Report in PCT/EP2004/003799 dated December 21, 2004				

Examiner	/Andrew Perreault/	Date Considered	05/20/2008				
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.							